

IEEE TRANSACTIONS ON ANTENNAS AND PROPAGATION

A PUBLICATION OF THE IEEE ANTENNAS AND PROPAGATION SOCIETY



APRIL 2025

VOLUME 73

NUMBER 4

IETPAK

(ISSN 0018-926X)

SPECIAL ISSUE ON MEASUREMENT TECHNOLOGIES FOR EMERGING 5G AND BEYOND CHANNEL CHARACTERIZATION AND ANTENNA SYSTEMS

GUEST EDITORIAL

- [Measurement Technologies for Emerging 5G and Beyond Channel Characterization and Antenna Systems](#) *W. Fan, T. H. Loh, L. Foged, B. Derat, Y. Huang, and P. Kyösti*

SPECIAL ISSUE PAPERS

- [A Millimeter-Wave Phased-Array Channel Sounder for Double-Directional Communication and Localization Channel Descriptions](#) *G. Castro, T. Choi, H. Chung, Q. Ma, A. F. Molisch, and G. M. Rebeiz*
- [74 GHz Millimeter-Wave Long-Range Channel Measurements for Backhaul Communications: Sounding System and Propagation Characterization](#) *H. Yang, H. Mou, C. Sun, Z. Guo, B. Wu, X. Zou, and X. Gao*
- [Channel Modeling and Characterization of Access, D2D, and Backhaul Links in a Corridor Environment at 300 GHz](#) *R. Takahashi, A. Ghosh, M. Mao, and M. Kim*
- [DSS-o-SAGE: Direction-Scan Sounding-Oriented SAGE Algorithm for Channel Parameter Estimation in mmWave and THz Bands](#) *Y. Li, C. Han, Y. Chen, Z. Yu, and X. Yin*
- [Dynamic Indoor mmWave MIMO Radar Simulation: An Image Rendering-Based Approach](#) *Y. Liu, M. Ahmadi, J. Fuchs, M. Alaei-Kerahroodi, and M. R. Bhavani Shankar*
- [Large Virtual Antenna Array-Based Empirical Channel Characterization for Sub-THz Indoor Hall Scenarios](#) *Y. Lyu, Z. Yuan, P. Zhang, Z. Huang, P. Kyösti, and W. Fan*
- [Channel-Enhanced Transmission–Reflection Switchable Reconfigurable Intelligent Surface With Arbitrary Source and Terminal Positions](#) *P. Li, J. Ren, Y. Chen, X. Ren, K.-D. Xu, Y.-Z. Yin, and M. Shen*
- [Indoor Channel Characterization Using Transmitting and Reflecting RIS at mmWaves](#) *T. Mazloum, F. Munoz, L. Santamaria, A. Clemente, J.-B. Gros, A. Toubal, Y. Nasser, M. Odit, G. Lerosey, and R. D'Errico*
- [Fixed-Wing UAV-Based Air-to-Ground Channel Measurement and Modeling at 2.7 GHz in a Rural Environment](#) *Y. Lyu, W. Wang, and P. Chen*
- [Digital Twins of Electromagnetic Propagation Environments for Live 5G Networks—Part I: Channel Acquisition, EM Simulation, and Verification](#) *L. Li, H. Sun, Z. Wang, W. Wang, and W. Fan*
- [Digital Twins of Electromagnetic Propagation Environments for Live 5G Networks—Part II: High-Fidelity Emulation in the MPAC Setup](#) *L. Li, S. Lin, Y. Zhong, Z. Wang, and W. Wang*
- [A Wideband Distributed Massive MIMO Channel Sounder for Communication and Sensing](#) *M. Sandra, C. Nelson, X. Li, X. Cai, F. Tufvesson, and A. J. Johansson*
- [Time-Domain-Clustering Based Dynamic Channel Emulation for Millimeter-Wave MIMO Over-the-Air Testing](#) *Z. Jiang, W. Zhao, C. Guo, M. Yan, Z.-C. Hao, and W. Hong*
- [A Diagnosis Method for Radio Frequency Channels of Wireless Devices Without Cable Connections](#) *R. Chen, F. Li, J. Tang, X. Liu, J. Li, and X. Chen*
- [Over-the-Air Emulation of Electronically Adjustable Rician MIMO Channels in a Programmable-Metasurface-Stirred Reverberation Chamber](#) *I. Ahmed, M. Davy, H. Prod'homme, P. Besnier, and P. del Hougne*

| | | |
|---|-------|---|
| A Practical Approach to Generating First-Order Rician Channel Statistics in an RC Plus CATR Chamber at mmWave Frequencies | | A. Antón Ruiz, S. Hosseinzadegan, J. Kvarnstrand, K. Arvidsson, and A. Alayon Glazunov |
| Enhancing Aperture Efficiency of Single Parabolic Cylindrical Compact Range Based on a Linear Array Excitation Method | | K. Yang, Z. Wang, X. Chen, T.-H. Loh, and S. Gao |
| Concave Serrated-Edge Reflectors for Compact Range With Lower Frequency Limit | | B. Fu, P. Huo, J. Wu, and Z. Li |
| Fast Planar Near-Field Measurements of Reduced Angular Pattern Domains | | F. R. Varela, A. Arboleya, C. F. Romero, E. Martinez-de-Rioja, and J. C. Maeso |
| Planar Near-Field Array Antenna Diagnostics for Production Testing Using Compressive Sensing and a Fixed Sparse Sensing Array | | C. G. Parini and S. F. Gregson |
| An Improved Method for Quiet Zone Evaluation Using Novel Ultrawideband Dual-Polarized Antenna | | Y. Zheng, B. Lin, T. H. Loh, and Y. Qi |
| Source-Stirred Method for Total Radiated Power Measurements in a TEM Cell | | K. Jiang, Y. Huang, S. Shen, X. Chen, and Y. Xie |
| In Situ Calibration of Plane-Wave Generator in an Aperture-Limited Multiprobe Compact Setup | | Z. Wang, F. Zhang, and W. Fan |
| A Novel Fast Far-Field Phased Array Calibration Method Utilizing Deep Residual Neural Networks | | H. Chen, X. Xie, Z. Ma, H. Xu, B. Lan, N. Li, X. Qi, C. Men, C. Song, and Z. Xu |
| Real-Time Near-Field mmWave Measurements Using Screen-Printed Metasurfaces and IR Camera | | J. Lundgren, T. Martin, H. Khalid, M. Zabihipour, D. Tu, I. Engquist, D. Sjöberg, and M. Gustafsson |
| Directional Power Control of 5G Radio Base Stations for EMF Compliance—Part I: Design Principles and Feature Validation | | B. Xu, I. Mrissa, I. Bahceci, C. Di Paola, K. Huisman, A. El-Keyi, and C. Törnevik |
| Directional Power Control of 5G Radio Base Stations for EMF Compliance—Part II: Comparisons With Cell-Wide Power Control in a Live Network in Germany | | F. Michler, R. Reese, B. Scheiner, E. Radermacher, J. A. Gomez Correal, and B. Xu |
| Evaluating EVM Performance in Millimeter-Wave OTA Test Using Digitally Modulated Stimuli With Pre-Distortion and a NVNA Test Bench | | Y. Zhang, J. Rong, J. Wu, X. Liu, Q. Xu, F. Tian, and Z. Zhang |

PAPERS

Antennas

| | | |
|---|-------|---|
| Near-Field Measurement of a Fractal Antenna Using Fluorescence Thermography | | R. Flor, S. Fauré, J.-F. Bobo, and D. Prost |
| Simultaneous Wireless Powering and Biotelemetry for Biomedical Implants Using 3-D Printable Water-Based Self-Diplexing Antennas | | F. Faisal, A. Basir, M. Zada, T. Björnin, M. Chaker, and T. Djerafi |
| Frequency-Tunable Dielectric Resonator Antenna Using a Piezoelectric Bending Actuator | | S.-X. Zhang, M. W. K. Lee, and K. W. Leung |
| An Exact Synthesis Procedure for Minimum Quality Factor Spherical Wire Antennas | | A. B. Murray and A. K. Iyer |
| Compact Radiation Pattern Decoupling Design of 2-D MIMO Microstrip Antennas | | G.-Y. Liu, N. Yang, and K. W. Leung |
| A Wideband Stacked Magnetic Dipole Antenna With High Aperture Efficiency | | K.-C. Wang and H. Wong |
| Co-Design of Low-Profile Linear Microstrip Arrays With Wideband Spatial Filtering Capabilities | | A. Benoni, M. Salucci, and A. Massa |
| A Novel Highly Directional Antenna Array Based on Epsilon-Mu-Near-Zero (EMNZ) With Air-Gap Structure | | J. Li, L. Zhao, and H. Wu |
| A High Balance-Ratio Dipole With Low Passive Intermodulation Distortion | | K. L. Wong and M. J. Ammann |
| Ultrawideband and Low-Profile Circularly Polarized Waveguide Antenna Array With Wave Absorber for Mm-Wave Applications | | H. Zhao, P.-F. Gu, Z. He, D.-W. Song, J.-X. Wang, Z.-H. Fan, N. Yang, K. W. Leung, and D.-Z. Ding |
| Dual-Band Circularly Polarized Antenna With Circular Polarization in the Endfire Direction in Metal-Bezel Smartphones for n256-Band Direct Phone-to-Satellite Communication | | S. Rao, Y. Wang, F. Xu, J. Wang, Y. Shi, and Y. Han |
| Dual-Sleeves Printed Quadrifilar Helix Antenna With Quad-Band and Ultrawide Beamwidth for Satellite Communication Mobile Terminals | | K. Mo, X. Jiang, L. Peng, and R. Fang |
| A Large-Aperture Multi-Subarray Radial Line Helical Array Antenna With Dielectric Windows for High-Power Microwave Applications | | T. Ni, B. Wang, S. Qiu, X. Wang, and Q. Liu |
| A Novel Continuous Direct Antenna Modulation System Through Varactor Diode Tuning | | I. M. Broadbooks, M. C. Smith, R. M. Radhakrishnan, and D. F. Sievenpiper |

Arrays and Periodic Structures

| | | |
|---|-------|--|
| A High-Efficiency and Effectiveness Designing Methodology for Discrete-Coded Energy Selective Surface Based on Machine Learning | | L. Yao, X. Huang, H. Chen, H. Jiang, Y. Liang, and P. Liu |
| Design of Nth-Order Frequency-Selective Polarization Rotation Reflective Surface Based on Transversal Coupling Topology | | P.-P. Zhang, X.-C. Zhu, J.-L. Chen, K. Gong, and X.-M. Qing |
| Design Considerations and Propagation Properties Using an SDN-Controlled RIS for Wireless Backhauling | | M. E. Arslan, H. Rezaei, G. Yammine, P. Heusinger, Y. Wu, W. Gerstacker, R. Schober, N. Franke, and N. Neumann |
| On the Synthesis of Null-Scanning Leaky-Wave Antennas (NSLWAs) for Millimeter-Wave Direction-Finding Applications | | D. Zheng, Y. Zhang, G.-B. Wu, Z. H. Jiang, C. H. Chan, K. Wu, and W. Hong |
| Dual-Band Aperture-Shared Filtering Reconfigurable Intelligent Surfaces | | Q. Hu, H. Yang, Y. Rao, and X. Y. Zhang |
| Dual-Band Shared-Aperture Antenna Hybridizing Patch and Transmitarray With Large Frequency Ratio and Wideband Characteristics | | Z. L. Ma, Y. Tang, Q. Xue, W. Che, and K. X. Wang |
| Dartboard Metasurface for RCS Reduction and OAM Wave Generation | | W. Geng, Q. Guo, J. Su, and Z. Li |
| Frequency-Selective Surface With Dual Polarization and Ultrawide Passband | | S.-L. Yang, F.-S. Zhang, L.-W. Song, and F. Zhang |

Electromagnetics

| | |
|---|--|
| Reconstruction of the Lightning Return-Stroke Current From the Radiated Magnetic Field | R. Aramini, M. Brignone, D. Mestriner, R. Procopio, A. Randazzo, and M. Rubinstein |
| A Forward Approach to Establish Parametric Scattering Center Model for Dielectric-PEC Composite Targets | Y. Zhu, S. He, Z. Bian, Y. Zhang, Q. Huang, and F. Zhang |
| Meta-Learning-Assisted Untrained Neural Network for Electromagnetic Inverse Scattering Problems | Q. Huang, C. Li, X. Ye, K. Xu, and R. Song |

Numerical Methods

| | |
|---|--|
| An Efficient Load Balancing Scheme for Parallel p-Adaptive DGTD Method With Local Time Stepping Strategy | Y. C. Liu, Y. Shi, S. C. Zhu, J. H. Zhang, M. Y. Xi, S. P. Li, and P. Wang |
| A Novel Projection-Based Beam Ray Launching Method for Wireless Channel Modeling | Y. Zhou, C.-X. Wang, S. Yang, Y. Wang, J. Huang, and e.-H. M. Aggoune |
| An Anderson Acceleration Inspired VBIM for Solving the Electromagnetic Inverse Scattering Problems | H. Zhou, Y. Zhao, Y. Wang, D. Han, and J. Hu |

Wave Propagation and Scattering

| | |
|---|---|
| Superradiant Broadband Magnetoelectric Arrays Empowered by Meta-Learning | A. Mikhailovskaya, K. Grotov, D. Vovchuk, D. Dobrykh, C. Rockstuhl, and P. Ginzburg |
| Plasma-Assisted Checkerboard Metasurface With 55.4 dB Monostatic Radar Cross-Section (RCS) Reduction | J. Jung, C. Cho, J. Ha, S. You, H. Lee, C. Kim, I. Oh, and Y. Lee |
| A Convolutional Neural Network Based Method for Accurate Computation of Scattered Fields From Reconfigurable Intelligent Surfaces | Y. Liu and C. D. Sarris |

Other Topics

| | |
|--|---|
| Interaction Between Switched Oscillator Sources and Their Loading Antennas in Determining System Performance | F. Babaeian, J. S. Tyo, and J. E. Fletcher |
| Nonvolatile 1-bit Intelligent Reflective Metasurface for RF Wave Manipulation and Control | X. Xiao, Z. Zhang, Y. Li, Y. Mao, and Z. Hu |

COMMUNICATIONS

| | |
|--|---|
| Nonrotationally Symmetric V-Band Geodesic Lens Antenna With Defined Footprint | S. Clendinning, O. Zetterstrom, J. Rico-Fernández, F. Mesa, and O. Quevedo-Teruel |
| Systematic and Accurate Method to Model Dielectric Stratifications in Artificial Dielectric Layers | R. G. Tapia Barroso and D. Cavallo |
| Wideband Dual-Circularly Polarized Transmit-Reflect-Array Antenna With Energy Allocation Based on Hybrid Metasurface | W. Yang, K. Tang, Y. Zhu, K. Chen, J. Zhao, T. Jiang, and Y. Feng |
| Wideband Sequential Rotation Dual-Circularly Polarized Magnetoelectric Dipole Array With Polarization Independent Control for Intelligent Vehicle Communications | Z. Sun, X. Lv, and Y. Yang |
| 320 GHz InP-Based On-Chip Aperture Antenna With 10.1 dBi Gain by Using Open-Ended SIW Cavity | S.-Y. Tang, J. Chen, X. Xia, S. Zheng, H. Lu, P. Zhou, and W. Hong |
| Periodic Leaky Wave Antenna With $n = -2$ Space Harmonic as the Main Radiation Mode With the Improved Macroand Single-Cell Method | Y. Yao, Y. Li, Z. Liang, X. Chen, S. Y. Zheng, and Y. Long |
| Whale Optimization Algorithm-Based Channel Parameter Estimation for Ranging Applications in Closely Spaced Multipath Environment | Z. Liang, Y. Lyu, W. Wang, and Y. An |
| A Parallel Direct Finite Element Solver Empowered by Machine Learning for Solving Large-Scale Electromagnetic Problems | J. Wang, S. Zuo, X. Zhao, M. Tian, Z. Lin, and Y. Zhang |

ANNOUNCEMENTS

| |
|---|
| Call for Papers: IEEE TAP Special Issue Microwave, mm and THz Imaging and Sensing Systems and Technologies for Medical Applications |
| Call for Papers: Numerical and Analytical Methods for Complex Electromagnetic Media |
