IEEE TRANSACTIONS ON

ANTENNAS AND PROPAGATION

A PUBLICATION OF THE IEEE ANTENNAS AND PROPAGATION SOCIETY

JANUARY 2024 VOLUME 72 NUMBER 1 IETPAK (ISSN 0018-926X)

EDITORIAL

Reflections From My First Year as Editor-in-Chief of the TRANSACTIONS . . . . . *K. S. Nikita*

SPECIAL ISSUE ON FRONTIERS IN COMPUTATIONAL ELECTROMAGNETICS (PART II)

GUEST EDITORIAL

Frontiers in Computational Electromagnetics—Part II . . . . . *B. M. Notaroš, F. P. Andriulli, and H. Bagci*

SPECIAL ISSUE PAPERS

Multiple-Precision Arithmetic Implementation of the Multilevel Fast Multipole Algorithm . . . . . *M. Kalfa, Ö. Ergül, and V. B. Ertürk*

A Directional Multilevel Complex-Space Fast Multipole Algorithm for Electrically Large Problems of Various Dimensions . . . . . *G.-Y. Zhu, W.-D. Li, W. E. I. Sha, H.-X. Zhou, and W. Hong*

Integral Operator-Based Characteristic Mode Theory for Conducting, Material, and Lossy Structures . . . . . *P. Ylä-Oijala, M. Kuosmanen, and H. Wallén*

A Novel Method of Moments for Numerical Analysis of Antennas Over 2-D Infinite Periodic Arrays of Scatterers . . . . . *K. Konno, N. Haga, J. Chakarothai, Q. Chen, N. Nakamoto, and T. Takahashi*

Efficient Tracking of Dispersion Surfaces for Printed Structures Using the Method of Moments . . . . *D. Tihon, S. N. Jha, M. Bodehou, and C. Craeye*

A Coupled Hybridizable Discontinuous Galerkin and Boundary Integral Method for Analyzing Electromagnetic Scattering . . . . . *R. Zhao, M. Dong, L. Chen, J. Hu, and H. Bagci*

Hierarchical Universal Matrices for Curvilinear Tetrahedral $\boldsymbol{H}$(curl) Finite Elements With Inhomogeneous Material Properties . . . . . *L. L. Tóth, A. Amor-Martin, and R. Dyczij-Edlinger*

A Rigorous Code Verification Process of the Domain Decomposition Method in a Finite Element Method for Electromagnetics . . . . . *A. Amor-Martin, L. E. Garcia-Castillo, L. L. Tóth, O. Floch, and R. Dyczij-Edlinger*

An Efficient Goal-Oriented Adaptive Finite Element Method for Accurate Simulation of Complex Electromagnetic Radiation Problems . . . . . *H. Wu, K. Fu, S. Zuo, Z. Lin, X. Zhao, and Y. Zhange*

Pulsed Electromagnetic Excitation of a Narrow Slot Between Two Dielectric Halfspaces . . . . . *M. Štumpf, G. Antonini, and I. E. Lager*

On-the-Fly Dynamic Mode Decomposition for Rapid Time-Extrapolation and Analysis of Cavity Resonances . . . . . *I. Nayak, F. L. Teixeira, and R. J. Burkholder*

Quantum-Assisted Combinatorial Optimization for Reconfigurable Intelligent Surfaces in Smart Electromagnetic Environments . . . . . *Q. J. Lim, C. Ross, A. Ghosh, F. W. Vook, G. Gradoni, and Z. Peng*

Optimization Assisted by Neural Network-Based Machine Learning in Electromagnetic Applications . . . . . *A. Papathanasopoulos, P. A. Apostolopoulos, and Y. Rahmat-Samii*

Parallel GPU Optimization of the Shooting and Bouncing Ray Tracing Methodology for Propagation Modeling . . . . . *S. Kasdorf, B. Troksa, C. Key, J. Harmon, S. Pasricha, and B. M. Notaroš*

A Multiple Huygens Surface-Based Ray Tracing Framework With GPU Acceleration . . . . . *H. Na, M. M. Taygur, and T. F. Eiberti*

PAPERS

Antennas

Single-Frequency Phaseless Data-Based Echo Suppression for Antenna Pattern Measurement in a Nonideal Chamber . . . . . *H. Wang, W. Wang, F. Zhang, Y. Wu, Y. Liu, G. F. Pedersen, and W. Fan*

One-Dimensional Leaky Wave Antennas With Narrow Beam and Low Sidelobes . . . . . *G. Zamora and J. Bonache*

Contactless Air-Filled Substrate Integrated Cavity-Backed Slot Antenna Array With Improved Printed Ridge Gap Waveguide Feeding Network . . . . . *X. Zhao, Z. Yan, F. Fan, D. Sun, B. Wei, E. Wang, H. Zhu, Y. Dai, and X. Liu*

Evaluation of Losses in 3-D-Printed Geodesic Lenses Using a Ray-Tracing Model . . . . . *P. Castillo-Tapia, J. Rico-Fernández, S. Clendinning, F. Mesa, and O. Quevedo-Teruel*

Dual-Band Frequency-Reconfigurable Wearable Antennas for UHF Radio Band Applications . . . . . *Q. H. Dang, S. J. Chen, N. Nguyen-Trong, and C. Fumeaux*

Differentially Fed Dual-Band Base Station Antenna With Multimode Resonance and High Selectivity for 5G Applications . . . . . *X. Liu, B. Sanz-Izquierdo, H. Zhang, S. Gao, W. Hu, X.-X. Yang, and J. T. S. Sumantyo*

Textile-Integrated Phased Surfaces for Wireless Networking of Bioelectronic Devices . . . . . *X. Tian, Q. Zeng, D. T. Nguyen, and J. S. Ho*

The Upper Bound on Antenna Gain and Its Feasibility as a Sum of Characteristic Gains . . . . . *M. Capek and L. Jelinek*

Sub-Terahertz Metallic Multibeam Antenna Based on a Sliding Aperture Technique . . . . . *H. Lu, S. Zhu, T. Skaik, B. Nie, Y. Liu, and Y. Wang*

Low-Profile Ku-/Ka-Band Shared-Aperture Phased Array . . . . . *S. Lu, S.-W. Qu, and P.-F. Li*

A Dual-Band Quad-Port Circularly Polarized MIMO Antenna Based on a Modified Jerusalem-Cross Absorber for Wireless Communication Systems . . . . . *A. Khan, Y. He, and Z. N. Chen*

Design of a Dual-Band Shared-Aperture Antenna Combining Fabry–Perot Cavity and Folded Transmitarray for X- and Ka-Bands . . . . . *S. Gao and H. Wong*

A Portable Acoustically Actuated Antenna Based on an Asymmetrical Magnetoelectric Antenna . . . . . *T. Deng, J. Jiao, D. Wang, H. Luo, L. Lu, W. Di, D. Lin, and L. Zhu*

High-Gain Tapered Long Slot Array for Satcom Applications in PCB Technology With Folded Corporate Feed Network . . . . . *A. Mahmoud, M. Ettorre, and R. Sauleau*

A Wideband 120-GHz Polarization Controllable I/Q Transmitter Front End . . . . . *S. H. Kim, D. M. Kang, H. H. Bae, C. S. Park, and T. H. Jang*

Phased Array Featuring Independent, Simultaneous Beamsteering for Widely Separated mmWave Dual-Band Using Compact, Low-Loss, Selective Coupler . . . . . *J. Lee, D. Lee, J. Ahn, M. Kim, B. Kim, G. Park, Y. Youn, and W. Hong*

Meandering Microstrip Leaky Wave Antenna With Dual-Band Linear–Circular Polarization and Suppressed Open Stopband . . . . . *P. Vadher, G. Sacco, and D. Nikolayev*

Joint Optimization of Active and Reactively Loaded Passive Dipoles for Beam Steering for Future Wireless Applications . . . . . *S. Elkamhawy, R. H. Gohary, I. Lambadaris, and A. R. Elahi*

A Tri-Band Dual-Polarized Omnidirectional Dielectric Resonator Antenna With a Planar Feed for Indoor Applications . . . . . *P. F. Hu, K. W. Leung, Y. M. Pan, and S. Y. Zheng*

Biosymbiotic 3-D-Printed Planar Inverted-F Antenna . . . . . *X. Yin, T. Stuart, S. J. Chen, M. Farley, P. Gutruf, and C. Fumeaux*

Multibeam Receiving Antennas Employing Generalized Joined Coupler Matrix . . . . . *C. A. Guo, Y. J. Guo, and J. Yuan*

Vertically Polarized, Electromagnetic Interference Suppressed Millimeter-Wave Active Heatsink Antenna Based on Gap Waveguide Technology . . . . . *Y. Yu, D. Yi, M.-C. Tang, Q. Ma, X.-C. Wei, and E.-P. Li*

Wideband 5G Millimeter-Wave MIMO Magnetoelectric Dipole Antenna Integrated With Partially Reflective Surfaces . . . . . *Q. Li, S. Liao, Y. Yang, Z. Liang, and S. Xiao*

Arrays and Periodic Structures

Large-Scale Phased Array Calibration Based on Amplitude-Only Measurement With the Multiround Grouped-REV Method . . . . . *W. Fan, Y. Zhang, Z. Wang, and F. Zhang*

A Wideband Dual-Linearly Polarized Folded ME-Dipole Transmitarray Antenna With Low *H/F* Ratio . . . . . *B.-J. Xiang and K.-M. Luk*

Additively Manufactured Wideband Low-Profile Bidirectional 2-D Beam-Scanning Antenna Using Double Folded Transmitarrays With Curved Polarizers . . . . . *Z. Zhai, F. Lin, Y. Yang, and H. Sun*

Array Phase Center Dynamics Using Spatial Amplitude Modulation for High-Efficiency Secure Wireless Communication . . . . . *J. R. Randall, J. M. Merlo, A. A. Arisheh, and J. A. Nanzer*

Exploitation of Harmonic Generation in Time-Controlled Frequency-Diverse Arrays for WPT . . . . *T. Tiberi, E. Fazzini, A. Costanzo, and D. Masotti*

A Highly Efficient 1-bit Reflectarray Antenna Using Electromagnet-Controlled Elements . . . . . *A. Hu, K. Konno, Q. Chen, and T. Takahashi*

Single-/Dual-Beam Switchable Beamforming Network Based on Phase-Shifter-Relaxed 4 × 4 Nolen Matrix . . . . . *B. W. Xu, Y. Yang, S. Y. Zheng, and W. Che*

Reconfigurable Millimeter-Wave Reflectarray Based on Low-Loss Liquid Crystals . . . . . *D. Pérez-Quintana, E. Aguirre, E. Olariaga, S. A. Kuznetsov, V. I. Lapanik, V. S. Sutormin, V. Y. Zyryanov, J. A. Marcotegui, and M. Beruete*

Design of a 2-bit Dual-Polarized Reconfigurable Reflectarray With High Aperture Efficiency . . . . . *Y. Yin, C. Deng, X. Cao, Y. Hao, Y. Hou, H. Xu, and K. Sarabandi*

Efficient Scattering Calculation Model for Electrically Large Targets Coated With Phase-Modulated Metasurfaces . . . . . *X. Jiang, L. Zhang, B. Zou, Y. Chen, and W. Miao*

Linear Antenna Array With Full-Spherical Beamsteering . . . . . *C. Milias, R. B. Andersen, T. H. Jørgensen, B. Muhammad, J. T. B. Kristensen, A. Mihosvka, D. D. S. Hermansen, P. I. Lazaridis, and Z. D. Zaharis*

Broadband Dual-Polarized and Circularly Polarized Reflectarrays Using Planar Magnetoelectric Resonator . . . . . *X. Chen, Z. Gao, C. Yan, M. Su, Y. Liu, and Y. Ren*

Discrete-Impedance Metasurfaces for Wireless Communications in D-Band . . . . . *S. Kosulnikov, X. Wang, and S. A. Tretyakov*
Synthesis of a Thinned Prephased Electronically Steered Phased Array Using Excitation Control of Both the Small Amplitude Dynamic Range Ratio and Low-Resolution Phase . . . . . *M. Cheng, Q. Wu, C. Yu, H. Wang, and W. Hong*
Optically Transparent Beam-Steering Reflectarray Antennas Based on a Liquid Crystal for Millimeter-Wave Applications . . . . . *P. Aghabeyki, P. de la Rosa, M. Caño-García, X. Quintana, R. Guirado, and S. Zhang*
Active RIS-Assisted Sup-Degree of Freedom Interference Suppression for a Large Antenna Array: A Deep-Learning Approach With Location Awareness . . . . . *Z. Zhang, H. Cao, J. Fan, J. Peng, and S. Liu*
Frequency-Multiplexed Spin-Decoupled Metasurface for Low-Profile Dual-Band Dual-Circularly Polarized Transmitarray With Independent Beams . . . . . *W. Yang, K. Chen, J. Zhao, T. Jiang, and Y. Feng*
An Inverse Topological Design Method (ITDM) Based on Machine Learning for Frequency-Selective-Surface (FSS) Structures . . . . . *L.-Y. Xiao, Y. Cheng, Y.-F. Liu, F.-L. Jin, and Q. H. Liu*

Electromagnetics
Autoencoder-Augmented Machine-Learning-Based Uncertainty Quantification for Electromagnetic Imaging . . . . . *K. Narendra, B. Martin, C. Gilmore, and I. Jeffrey*
Band Structure and Temporal Topological Edge State of Continuous Photonic Time Crystals . . . . *R.-Y. Dong, Y.-M. Liu, J.-Y. Sui, and H.-F. Zhang*
TopIE: An Integral Equation Tool for Topology Optimization in Electromagnetics . . . . . *F. Lucchini, R. Torchio, P. Bettini, and F. Dughiero*
Chipless Image-Based System for Spatial-Frequency Data Encoding . . . . . *R. Amorim, R. Siragusa, N. Barbot, and E. Perret*
An Alternative Surface-Integral-Equation-Based Sub-Structure Characteristic Mode Formulation for Lossy Composite Structures . . . . . *C. Guo, Y.-C. Jiao, and Y. Ren*
Pulsed Operation of a Weakly Dispersive, Leaky Wave Antenna: A Causal Numerical Study . . . . . *J. Gu, M. Stumpf, A. Neto, and I. E. Lager*

Numerical Methods
Solving Combined Field Integral Equations With Physics-Informed Graph Residual Learning for EM Scattering of 3-D PEC Targets . . . . . *T. Shan, M. Li, F. Yang, and S. Xu*
Coherent FDA Receiver and Joint Range Space Time Processing . . . . . *W. Jia, A. Jakobsson, and W.-Q. Wang*
Method of Moments for the Dispersion Modeling of Glide-Symmetric Periodic Structures . . . . . *M. Petek, J. Rivero, J. A. Tobón Vásquez, G. Valerio, O. Quevedo-Teruel, and F. Vipiana*
Transient Simulation of Electromagnetic Wave Propagation in Plasma Based on Dynamic Drude Model . . . . . *L. Wang, C. Liao, R. Yuan, J. Gao, and D. Ding*
Inverse Source Solutions With Simultaneous Localization in the Spatial and Spectral Domains—Sparse Sampling for Directive Antennas . . . . . *T. F. Eibert, M. M. Saurer, A. H. Paulus, and J. Knapp*
Analysis and Improvement of the Stability of a 3-D FDTD Subgridding Method by Applying an LECT-Based Technique . . . . . *A. J. Martín Valverde, M. Ruiz-Cabello, A. Rubio Bretones, A. Gascón Bravo, and S. Gonzalez García*
Efficient Full-Wave Simulation of Large-Scale Metasurfaces and Metamaterials . . . . . *H.-W. Gao, X.-M. Xin, Q. J. Lim, S. Wang, and Z. Peng*

Wave Propagation and Scattering
Retrieving Complex Permittivities From Remote Dual Co-Pol Radar Measurements . . . . . *O. Couderc, I. D. Hinostroza Sáenz, L. Thirion-Lefevre, and R. Guinvarc'h*
A Primitive Scatterer Dictionary for Semantic Representation of Radar Target Images . . . . . *X. Zhang, F. Xu, Y. Yang, M. Xing, and Y.-Q. Jin*
Hiding a Light Source With Photonic Dimers of Paired Nanorods . . . . . *A. Aitbayev and C. Valagiannopoulos*
The Observed Effects of a Cold Wave on Over-the-Horizon Propagation in Evaporation Ducts Across Multiple Sea Areas . . . . . *K. Yang, F. Yang, S. Wang, Y. Shi, and H. Zhang*
Inverse Scattering Under the Born Approximation Using an Object T-Matrix and Full Bistatic Spherical Sampling Geometry . . . . . *M. S. Haynes, I. Fenni, and B. J. R. Davidsson*
All-Angle Scanning Perfect Anomalous Reflection by Using Passive Aperiodic Gratings . . . . . *Y. Li, X. Ma, X. Wang, G. Ptitcyn, M. Movahediqomi, and S. A. Tretyakov*
A Modified Microwave Imaging Method for Brain Stroke Detection . . . . . *S. S. S. Mousavi and M. S. Majedi*
Coupled Resonator-Based Metasurface Reflector With Enhanced Magnitude and Phase Coverage . . . . . *M. K. Emara, D. Kundu, K. Macdonell, L. M. Rufail, and S. Gupta*

Other Topics
Inverse Scattering for Coupled Nonuniform Lossless Transmission Lines Based on a State-Space Method and Nonuniform Frequency Sampling . . . . . *M. Baharian and J. A. Rashed Mohassel*

COMMUNICATIONS
Directivity Enhancement and Excitation of Space Wave, Leaky Wave, and Creeping Waves for a PEC Cylinder Coated With a Uniaxial Dielectric . . . . . *M. Singh, B. Ghosh, and K. Sarabandi*
140-GHz High-Efficiency Low-Profile Reflectarray Antenna Using Heterogeneous Design Strategy . . . . . *X. He, W. Yang, S. Liao, Y. Li, Q. Xue, and W. Che*
Low-Profile Circular-Polarized Filtering Transmitarray Antenna in V-Band . . . . . *H.-T. Hu, K. F. Chan, and C. H. Chan*
Hybrid Method of Artificial Neural Network and Simulated Annealing Algorithm for Optimizing Wideband Patch Antennas . . . . . *Y. He, J. Huang, W. Li, L. Zhang, S.-W. Wong, and Z. N. Chen*

A 180-GHz to 220-GHz Wideband Transmitarray With Wide-Angle Beam Steering for Intersatellite Communications . . . . . *L.-Z. Song, T. Zhang, J.-X. Lai, Y. Yang, and J. Du*
Quad-Polarized Diversity Hollow Cylindrical Dielectric Resonator Antenna . . . . . *X. S. Fang, Y. J. Xu, L. Luo, and K. W. Leung*
Wideband Dual-Polarized Antenna With High Selectivity for 5G Sub-6-GHz Base Station Applications . . . . . *X. Liu, B. Sanz-Izquierdo, S. Gao, H. Zhang, W. Hu, X.-X. Yang, and J. T. Sri Sumantyo*
Three-Dimensional-Printed Wideband Filtering Antenna for 5G Millimeter-Wave Applications . . . . . *L.-J. Xu, L. Xu, Q. Liu, B. Li, L. Zhu, and F. Huang*
Design of Wideband Filtering Patch Antenna Array With High Aperture Efficiency and Good Filtering Performance . . . . . *J. Guo, Y. Chen, D. Yang, K. Sun, J. Pan, and S. Liu*
Ku-Band Printed Bow-Tie Antenna H-Plane Array With Low Mutual Coupling . . . . . *H. Koo and S. Nam*
Theory and Design of a 3-D Antenna With Wideband Radiation Isotropy . . . . . *R. Wang, K. Klionovski, and A. Shamim*
Connected Slot Array With Interchangeable ADL Radome for Sub-8 GHz 5G Applications . . . . . *R. Ozzola, A. Neto, U. Imberg, and D. Cavallo*
Accurate and Efficient Shaped Power Pattern Synthesis for Arbitrary Antenna Arrays via Beam-Space Semidefinite Relaxation Method . . . . . *W. Zhang, P. Wu, and Y. Liu*
Frequency-Selective Surfaces With Quasielliptic Bandpass Response for Filtering FRA Application . . . . . *M. Jiang, Z. Du, Y. Li, S. Sun, and J. Hu*
Multiple-Polarization Multibeam Vortex Wave Generator With High-Gain and Low-Profile Characteristics . . . . . *C. Bian, D. Zhou, H. Yang, H. Deng, D. Lv, D. Zhang, and Y. Zhang*
A High Aperture Efficiency 1-bit Reconfigurable Reflectarray Antenna With Extremely Low Power Consumption . . . . . *Y. Hao, C. Deng, X. Cao, Y. Yin, and K. Sarabandi*
Multimode Phased Antenna Array for mm-Wave User Terminals With Ultrawide-Angle Scanning Capabilities . . . . . *R. Ansems, G. Federico, A. B. Smolders, and D. Caratelli*
Wideband Hollow-Waveguide Dual-Polarized Antenna With Reduced Metal Layers . . . . . *Y. Hu, Y. Lu, K. Zhou, Q. You, and J. Huang*
A Perpendicular-Corporate-Feed Parallel-Plate Slot Array Antenna Based on H-Plane Groove Gap Waveguides With Interlaced Triangular Pins . . . . . *Y. Wu, J. Hirokawa, and T. Tomura*
A Bandpass Frequency-Selective Surface Based on an Aramid-Paper Honeycomb Sandwich Structure . . . . *Y. Han, T. Liu, Q. Li, W. Che, and Q. Xue*
Electromagnetic Bandgap Based on a Compact Three-Hole Double-Layer Periodic Structure . . . . . *L. F. Herran, Q. Chen, F. Mesa, and O. Quevedo-Teruel*
A Parallel Block Preconditioner-Based VIE-FFT Algorithm for Modeling the Electromagnetic Response From Nanostructures . . . . . *C. Huang and W. E. I. Sha*
Probe-Free High-Resolution Millimeter-Wave Frequency-Diverse Sensing Based on Spoof Surface Plasmon Polaritons . . . . . *J. Du, Q. Zhang, B. Liu, Y. Huang, C. Duan, C. H. Chan, and Q. Zhang*
Antenna Deembedding in Directional Channel Measurements With Virtual Array Concept and Experimental Validation . . . . . *M. Li, F. Zhang, Y. Lyu, Z. Yuan, and W. Fan*
Design of Polarization-Insensitive and Angularly Stable Metasurfaces With Symmetric Cubic Phase Distribution for Broadband RCS Reduction . . . . . *M. K. T. Al-Nuaimi, S.-L. Zhu, W. G. Whittow, G.-L. Huang, R.-S. Chen, and Q. Shao*

COMMENTS AND REPLIES

Comments on “Transducer and Radiation Efficiency Figures of a Multiport Antenna Array” . . . . . *M. Manteghi*
Reply to Comments on Transducer and Radiation Efficiency Figures of a Multiport Antenna Array . . . . . *M. Capek and L. Jelinek*

ANNOUNCEMENTS

CALL FOR PAPERS–Measurement Technologies for Emerging 5G and Beyond Channel Characterization and Antenna Systems