

IEEE TRANSACTIONS ON ANTENNAS AND PROPAGATION

A PUBLICATION OF THE IEEE ANTENNAS AND PROPAGATION SOCIETY



NOVEMBER 2023

VOLUME 71

NUMBER 11

IETPAK

(ISSN 0018-926X)

PAPERS

Antennas

- [Generalized Risley Prism for Beam-Steering Transmit Arrays With Reduced Grating Lobes](#) S. A. Matos, N. J. G. Fonseca, J. C. Serra, J. M. Felício, J. R. Costa, and C. A. Fernandes
- [Wideband Fixed-Beam Single-Piece Leaky Wave Antenna With Controlled Dispersion Slope](#) S.-L. Chen, L.-Z. Song, D. K. Karmokar, B. Jones, and Y. J. Guo
- [High-Gain Omnidirectional Transmitarray Antenna](#) P. Chen, Y. Zhao, X. Yang, R.-Y. Guo, Y. Li, and L. Ge
- [Toward Real-World Indoor Smart Electromagnetic Environments—A Large-Scale Experimental Demonstration](#) A. Benoni, F. Capra, M. Salucci, and A. Massa
- [Synthesis of Annular Sum and Difference Patterns Produced by Array-Fed Ring-Focus Reflector](#) A. K. Bhattacharyya, J. Gustafson, T. Hand, and J. Torres
- [Multipath-Coupling-Based Filtenna for Base-Station Applications](#) J. W. Wang, R. Ma, S. F. Bo, H. Huang, and X. Y. Zhang
- [Analysis of Scattering Characteristics of Height-Adjustable Phased Array With Ultrawideband Dual-Linear Polarized RCS Amplitude Regulation](#) P. Li, H. Yu, J. Su, Z. Li, H. Yin, and Z. Xiao
- [Acoustically Actuated Compact Magnetolectric Antenna for Low-Frequency Underwater Communication](#) X. Lü, X. Chen, W. Zhang, L. Gu, and W. Bao
- [A Shared-Aperture Antenna With High-Aperture Reuse Efficiency and High Isolation Based on the Quasi-Yagi Structure](#) D. Zhang and Q. Wu
- [A Simple Glass Matrix Design Strategy for Multibeam Arbitrary Linear Antenna Arrays](#) G. Buttazzoni, E. Marongiu, A. Fanti, A. Melis, N. Curreli, S. C. Pavone, G. Sorbello, G. M. Schettino, F. Vatta, F. Babich, and M. Comisso
- [A Balloon Conformal Array Antenna of Broadened Bandwidth, High Gain, and Steerable Directional Beam Fed by a Flexible Phase Shifting Network](#) C. Ding, X. Gao, W. Tang, H. Liu, C. Zhu, X. Bu, and J. An
- [Complete Open-Stopband Suppression Using Sinusoidally Modulated Anisotropic Metasurfaces](#) F. Giusti, S. Maci, and E. Martini
- [26-/39-GHz Low-Profile Dual-Circularly-Polarized Hybrid Antenna With Integrated Single Feed](#) S. Xu, Y. Shen, S. Xue, and S. Hu
- [Interval-Based Tolerance Analysis Method for Petal Reflector Antenna With Random Surface and Deployment Errors](#) Q. Wang, P. Li, P. Rocca, R. Li, G. Tan, N. Hu, and W. Xu
- [A Full-Angle Scanning Leaky Wave Antenna Based on Odd-Mode SSPP From Backfire to Endfire](#) T. Wang, L. Liu, H. Ni, L. Zhu, and G. Q. Luo
- [Single-Mode Dual-Band Patch Antenna Based on the Lorentz Model of Dispersive Metamaterials](#) J. Yin, Z. N. Chen, H. Wang, Q. Lou, and B. Lai
- [Simultaneous Transmit and Receive Self-Duplexing Antenna for Head Implants](#) A. Iqbal, M. Al-Hasan, I. B. Mabrouk, and T. A. Denidni
- [Monopulse Leaky Wave Antennas for RSSI-Based Direction Finding in Wireless Local Area Networks](#) A. Gil-Martinez, J. A. López-Pastor, M. Poveda-García, A. Algaba-Brazález, D. Cañete-Rebenaque, and J. L. Gómez-Tornero
- [Broadband Decoupling for Antenna Arrays Using Multiple Decoupling Nulls](#) J. Jiang and Q.-X. Chu
- [A Single-Layer, Differentially Fed Triband Filtenna With Uniform Polarization and Similar Broadside Radiation Characteristics](#) D. Li, M.-C. Tang, K.-Z. Hu, Y. Wang, and R. W. Ziolkowski
- [UHF RFID Antenna Sensor System Using Optimal Power-Oriented Setup-Independent Technique](#) X. Zhang, H.-X. Li, and H. S.-H. Chung
- [A Modular 2-bit Subarray for Large-Scale Phased Array Antenna](#) L. Yin, P. Yang, T. Dong, J. Hu, and Z. Nie

Arrays and Periodic Structures

A Wideband Low-Profile Folded Transmitarray Antenna Based on Magnetolectric Dipole Elements	<i>B.-J. Xiang and K.-M. Luk</i>
Multibeam Transmit-Reflect-Array Antenna Using Alternating Transmission and Reflection Elements for Space–Air–Ground–Sea Integrated Network	<i>X. Guo, Y. Luo, N. Yan, W. An, and K. Ma</i>
Waveform-Selective Metasurface Absorber With a Single-Patch Structure and Lumped Nonlinear Circuit for a Higher-Order Mode	<i>Y. Cheng, Y. Qian, H. Homma, A. A. Fathnan, and H. Wakatsuchi</i>
A High-Resolution Amplitude-Phase Control Method for 2-bit Time-Modulated Phased Arrays	<i>Y. Gao, X. Liang, J. Chen, J. Chen, and R. Jin</i>
Design Methodology of Dual-Polarized Angle-Selective Surface Based on Three-Layer Frequency-Selective Surfaces	<i>Z. Chen, C. Du, J. Liu, D. Zhou, and Z. Shen</i>
A Compact Ka-Band Low-Sidelobe Monopulse Antenna Array Based on Mixed Gap Waveguide and Hollow Waveguide Multilayer Feeding Network	<i>X. Jiang, Y. Shi, W. Yu, F. Jia, X. Wang, and Q. Wu</i>
Constrained Deterministic Synthesis of Conformal Supershaped Antenna Arrays	<i>J. M. E. Geerarts, G. Theis, A. B. Smolders, and D. Caratelli</i>
A Wideband High-Gain Planar Monopulse Array Antenna for Ka-Band Radar Applications	<i>Z. Wang, Y. Hu, L. Xiang, J. Xu, and W. Hong</i>
Dual-Polarized Metagrating for Controlling Diffraction Patterns in Orthogonal Planes	<i>J. Yi, W. Zhou, Z. Tan, M. Lin, X. Chen, and S. N. Burokur</i>

Electromagnetics

Complex Permittivity Measurements of Liquid Crystals Using Epsilon-Near-Zero Metamaterials	<i>C. Ding, Y. Wang, J. Zhou, H. Mu, Y. Han, F. Meng, and J. Wang</i>
Highly Efficient Wideband mmWave Rectennas for Wireless Power Transfer System With Low-Cost Multinode Tracking Capability	<i>C. Song, L. Wang, P. Lu, C. Zhang, Z. Chen, X. Zheng, Y. He, G. Goussetis, A. E. Vandenbosch, and Y. Huang</i>

Numerical Methods

Multifrequency Linear Sampling Method on Experimental Datasets	<i>P. Monk, M. Pena, and V. Selgas</i>
Efficient Evaluation of PGF Based on High-Order Taylor Expansions	<i>C. Zhu, Z. Yang, L. Liu, L. Ye, and Q. H. Liu</i>
Optimal Inverse Design Based on Memetic Algorithms—Part I: Theory and Implementation	<i>M. Capek, L. Jelinek, P. Kadlec, and M. Gustafsson</i>
Optimal Inverse Design Based on Memetic Algorithms—Part II: Examples and Properties	<i>M. Capek, L. Jelinek, P. Kadlec, and M. Gustafsson</i>
Extension of FLOD-FDTD Method for Multiterm Modified Lorentz Model	<i>G. Xie, G. Hou, K. Xu, K. Niu, N. Feng, Y. Li, Z. Huang, and A. Z. Elsherbeni</i>
Cascaded Time-Reversal-MUSIC Approach for Accurate Location of Passive Intermodulation Sources Activated by Antenna Array	<i>Z.-H. Cheng, X.-J. Li, S.-Y. Liu, M.-L. Ma, F. Liang, D. Zhao, and B.-Z. Wang</i>

Wave Propagation and Scattering

Reconfigurable Coding Metamaterial for Enhancing RCS Reduction	<i>X. Fang, J. Luo, Z. Wu, Y. Zeng, Y. Yang, S. Qiao, Y. Tan, and Y. Zou</i>
An MLFMA-Based Eigenmode Theory for Electromagnetic Scattering Analysis From Electrically Large and Complex Homogeneous Dielectric Objects	<i>X. Chen</i>
On the Cancellation of Unstirred Paths in a Fully Stirred VIRC Working as a Perfect Chaotic Reverberation Chamber	<i>G. Andrieu, Y. Rammal, N. Ticaud, N. Roger, A. Laisné, and P. Pouliguen</i>
Reducing the Number of Measurement Nodes in RF Imaging Using Antenna-Pattern Diversity With an Extended Rytov Approximation	<i>D. Ma, A. Dubey, Z. Xu, S. Shen, Q. Zhang, and R. Murch</i>
Deep Injective Prior for Inverse Scattering	<i>A. Khorashadizadeh, V. Khorashadizadeh, S. Eskandari, G. A. E. Vandenbosch, and I. Dokmanić</i>
Construction of 3-D Microwave Helical Beams Using Huygens' Metasurface	<i>D. Su, H. Zhang, H. Xiao, W. Song, H. Xiong, D. Xiao, and X. Wang</i>
Research on the RCS Scaling Law of Reentry Hypersonic Object With Surrounding Flow and Wake	<i>J. Wang, Z.-F. Yu, Y. Yang, S. Wang, J. Chen, S.-C. Liang, and S. Li</i>
Adaptive ADMM-Based High-Quality Fast Imaging Algorithm for Short-Range MMW MIMO-SAR Systems	<i>X. Chen, Q. Yang, H. Wang, Y. Zeng, and B. Deng</i>
3-D EM Scattering and Inverse Scattering by Anisotropic Objects Straddling Multiple Planar Uniaxial Layers With a 2-D Locally Rough Surface	<i>R. Huang, Q. Wu, and F. Han</i>
Pattern-Free Tunable Angular Propagation Characteristics Based on Edge States and Its Potential in Sensing	<i>B.-F. Wan, H.-N. Ye, and H.-F. Zhang</i>
Reconfigurable Over-the-Air Chamber for Mobile Device Testing: Analysis and Design	<i>B. T. Arnold and M. A. Jensen</i>
On Phase Mode Selection in the Frequency-Invariant Beamformer for Near-Field mmWave Channel Characterization	<i>Z. Yuan, F. Zhang, Y. Zhang, J. Zhang, G. F. Pedersen, and W. Fan</i>

Other Topics

Accelerated Parameter Tuning of Antenna Structures by Means of Response Features and Principal Directions	<i>A. Pietrenko-Dabrowska and S. Koziel</i>
---	---

COMMUNICATIONS

[Elimination of Anomalous Resonances in Coaxial-Fed LPDA and Its Array With Integrated \$\Phi\$ -Shaped Balun](#) *H. Qi*

[A Wideband and High-Gain Filtering Antenna for 5G Millimeter-Wave Applications](#) *Y.-M. Pan, G. Liu, X.-Y. Liu, K. W. Leung, and P. F. Hu*

[Trimode Leaky Wave Antenna Based on Hansen–Woodyard Condition Using DSPSL Structure](#) *K. Mao, Y. Li, Z. Liang, S. Y. Zheng, H. Jiang, and Y. Long*

[Theoretical Analysis and Applications for the Element-Rotation-Based Circularly Polarized Yagi–Uda Antenna](#) *J. Wang, Z. Huang, C. Wang, G. Cheng, G. Xu, W. Wang, Y. Li, L. Yang, and X. Wu*

[Wideband and Low-Profile High-Resistivity Silicon-Based Dielectric Resonant Antennas by Loading AMC](#) *Y.-S. Huang, L. Zhou, L. Zhou, J.-F. Mao, Y. Zhao, and Y. H. Gao*

[Truncated 2-D Gutman Lens Antenna With Planar Feeding Surface for Stable Wide-Angle Beam Scanning in Millimeter-Waveband](#) *B. C. Chen, Y. M. Pan, and S. Y. Zheng*

[Single-Glass-Layer Optically Transparent Transmitarray With High Aperture Efficiency and Low Profile at 5G Millimeter-Wave Band](#) *B. Kim and J. Oh*

[Design of Singly Fed Dual-Band Antenna With a Large Frequency Ratio by Introducing a Monopole Mode to Yagi–Uda Antenna](#) *L. Y. Feng, J. N. Hao, H. K. Zhao, W. S. Ji, and Y. Liu*

[A Compact Dual-Polarized Array Antenna for Automotive Radar Application](#) *H.-D. Li and L. Zhu*

[Frequency-Diverse Metacavity Cassegrain Antenna for Differential Coincidence Imaging](#) *M. Zhao, S. Zhu, D. P. Lynch, Y. Nian, T. Fromenteze, M. Khalily, X. Chen, V. Fusco, and O. Yurduseven*

[Design of the Low-Profile Tri-Polarized Diversity Cylindrical Dielectric Resonator Antenna Utilizing High-Order HEM₁₃₈ and TM₀₂₈ Modes](#) *X. S. Fang, L. Luo, Y. J. Xu, and Z. Fan*

[Compact High-Gain and Wide-Azimuth-Beam Filtenna for V2X Communication](#) *D. Pang, Z. X. Xia, H. F. Su, Y. M. Xue, L. H. Ye, and X. Y. Zhang*

[A Compact Dual-Decoupling Scheme for Aperture-Coupled and Probe-Fed Closely Spaced Wideband Microstrip Antennas](#) *L. Ma, Z. Shao, J. Lai, C. Gu, and J. Mao*

[Physical Models for Influence of Substrate Permittivity on the Gain of Microstrip Antennas](#) *J. Dinkic, M. N. Stevanovic, and A. Djordjevic*

[Grid Dielectric Resonator Antenna Planar Arrays With Simple Feeding Network](#) *L. Wang, S.-W. Wong, W.-H. Huang, L. Zhang, W. Li, and Y. He*

[Wideband Function Reconfigurable Metamaterial for RCS Reduction](#) *R.-H. Jin, Z.-G. Yan, Y.-W. Liu, W.-Z. Lu, and X.-C. Wang*

[Shared-Aperture Reflectarrays and Antenna Arrays for In-Band Full-Duplex Systems](#) *A. Samaiyar, M. Elmansouri, and D. S. Filipovic*

[Indium-Tin-Oxide-Based Broadband Optically Transparent Reflectarray Antenna Using a Multilayer Hybrid Dielectric Substrate and Heterogeneous Elements](#) *L. Cai, J. Zhou, H. Hu, X. Xu, Z. H. Jiang, and W. Hong*

[A Simple Wideband Differential Magnetic Probe Loaded With Out-of-Phase Balun and Parasitic Loop](#) *L. Wang, X. Liu, H. Wang, and Z. Zhu*

[Fast Physical Optics Method Based on Adaptive Mesh Technique](#) *F. L. Song, Y. M. Wu, Y. Pan, J. Hu, and Y.-Q. Jin*

[FDTD Analysis of the Sagnac Effect Employed in the Global Positioning System](#) *M. Marvasti and H. Boutayeb*

[A Stability Extensible Symplectic FDTD^{\(4,4\)} Method and Its Application in Subgrid Technique for Arbitrary Grid Ratios](#) *G. Xie, N. Feng, M. Fang, M. S. Tong, W. E. I. Sha, and Z. Huang*

[Physically Unrolling Network Under Contraction Integral Equation for Limited-Aperture Inverse Scattering Problem](#) *K. Xu, Z. Qian, R. Song, X. Ye, N. Xu, X.-M. Pan, P. Zhao, S. Chen, G. Wang, and W. Li*

[A Multifrequency Inverse Algorithm for 3-D Microwave Imaging](#) *Y. Fang, K. Bakian-Dogaheh, and M. Moghaddam*

[A Fast Model Order Reduction Method for Electromagnetic Scattering of Large Periodic Arrays With Connected Elements](#) *H. Shao, K. Fu, Z. Fu, X. Ying, and J. Hu*

ANNOUNCEMENTS

[CALL FOR PAPERS–Measurement Technologies for Emerging 5G and Beyond Channel Characterization and Antenna Systems](#)